

Knee Immobilizer

Our knee immobilizer provides unparalleled comfort and support, for a customized fit tailored to your needs. It is engineered for maximum adjustability ensuring a secure and stable fit. The unique posterior stay and dual-cuff design delivers greater immobilization. This knee brace provides the immobilization needed as prescribed by your medical professional while allowing for the best comfort available during your recovery.



Design Highlights:

- The slide-to-size adjustment provides the right fit for the largest variety of patient lengths and widths.
- Dual-cuff design for more effective immobilization.
- Perforated padded liner for breathability, comfort and to limit migration.
- Can be worn directly against the skin for greater comfort on warm days.

Indications for Use:

- ACL, PCL, MCL, LCC Injuries
- Post-injury, Post-trauma
- Meniscal Repairs
- Patella Tendon Repairs

Knee Immobilizer

Fitting Instructions

Application


Correct application is required to ensure proper function of the device. This product should be fitted and used only under the supervision of a medical professional, following their designed treatment plan.

Step 1. Determine length of the Posterior Stay. The device is pre-set to 20" (50.8 cm) in length. To adjust the length and the cuff positioning: Push down the blue button on Femoral Cuff (A) to unlock and slide it to the desired position. Adjust the Tibial Cuff (B) in the same way. Place the Tibial Cuff at or above the calf muscle.

Step 2. Apply the device to the leg: With the leg in full extension, center the knee between the Cuffs and align the Posterior Stay along the midline of the leg (C). Ensure that the Popliteal Pad (D) is centered behind the knee. The Knee Immobilizer may be applied over a bare leg (under clothing), over a compression dressing, or over clothing. If placed over clothing, ensure that the underlying clothing is pulled taut and not wrinkled. Secure all four H-straps in order from bottom to top (E,F,G,H). Ensure that the Middle Adjustable Straps (F,G) are positioned not directly over the kneecap area; at least 2" (5 cm) away from the kneecap. The straps can be trimmed to an appropriate length. Extra Contact Closure Tab can be placed at the base of each.

Removal:

Removal of the brace should only be accomplished as prescribed by your medical professional. While seated, undo all to remove the device from the leg.



Care Instructions

- Hand-wash using mild detergent and rinse thoroughly.
- Air dry, do not expose to direct heat.
- Do not machine-wash, tumble dry, iron, bleach, or wash with fabric softener.
- Avoid contact with salt water or chlorinated water. In case of contact, rinse with fresh water and air dry.



All products are provided by TLC DME.

For more information regarding product application, functionality, and/or warranties, please call TLC DME Patient Care at 1.855.4TLC DME or email patientcare@tlcdme.com.

All DMEPOS products are covered by CMS, work comp, and commercial insurances. If you have not yet met the deductible associated with your insurance plan, you may have a financial responsibility.